

Appln. No. 10/600,944

- 3 -

May 23, 2005

Amendments to the Claims

This listing of claims will replace any prior version or listing of claims in the application.

Listing of Claims

1 (currently amended). A sleeve for receiving elongated items, said sleeve comprising:

a flexible first tubular segment having opposite ends and comprising first filamentary members interlaced together; and

a flexible second tubular segment having opposite ends and comprising second filamentary members interlaced together, said second filamentary members being different from said first, one end of said first segment being joined to one end of said second segment, said second segment being reverse folded and drawn coaxially within said first segment to form inner and outer adjacent layers surrounding a central space, a reverse fold defining one end of said sleeve; and

a plurality of ribs formed lengthwise along said second segment, said ribs facing outwardly from said central space and engaging said first segment, said ribs separating said layers and forming a plurality of air pockets therebetween.

2 (original). A sleeve according to Claim 1, wherein said segments are integrally joined with one another.

3 (original). A sleeve according to Claim 1, wherein said reverse fold is positioned between said segments.

4 (original). A sleeve according to Claim 3, wherein said first and second segments are substantially equal in length, other ends of said first and second segments being

RESPONSE TO OFFICE ACTION
DATED FEBRUARY 23, 2005

Appln. No. 10/600,944

- 4 -

May 23, 2005

positioned adjacent to one another and defining another end of said sleeve.

5 (original). A sleeve according to Claim 1, wherein said other ends of said first and second segments are welted.

Claim 6 (canceled).

7 (currently amended). A sleeve according to Claim 6 1, wherein said filamentary members are interlaced by knitting, said second segment comprising a rib-knit stitch, said ribs being integrally formed in said second segment.

8 (currently amended). A sleeve ~~according to Claim 1,~~
further for receiving elongated items, said sleeve comprising:
a flexible first tubular segment having opposite
ends and comprising first filamentary members interlaced
together;

a flexible second tubular segment having opposite
ends and comprising second filamentary members interlaced
together, said second filamentary members being different from
said first, one end of said first segment being joined to one
end of said second segment, said second segment being reverse
folded and drawn coaxially within said first segment to form
inner and outer adjacent layers surrounding a central space, a
reverse fold defining one end of said sleeve; and

a plurality of ribs formed lengthwise along said
first segment, said ribs facing inwardly toward said central
space and engaging said second segment, said ribs separating
said layers and forming a plurality of air pockets
therebetween.

9 (currently amended). A sleeve according to Claim 8, wherein said filamentary members are interlaced by knitting,

Appln. No. 10/600,944

- 5 -

May 23, 2005

said ~~second~~ first segment comprising a rib-knit stitch, said ribs being integrally formed in said ~~second~~ first segment.

10 (original). A sleeve according to Claim 1, wherein said filamentary members are interlaced by knitting.

11. A sleeve ~~according to Claim 1, further for receiving elongated items,~~ said sleeve comprising:

a flexible first tubular segment having opposite ends and comprising first filamentary members interlaced together;

a flexible second tubular segment having opposite ends and comprising second filamentary members interlaced together, said second filamentary members being different from said first, one end of said first segment being joined to one end of said second segment, said second segment being reverse folded and drawn coaxially within said first segment to form inner and outer adjacent layers surrounding a central space, a reverse fold defining one end of said sleeve; and

a third tubular segment comprising interlaced filamentary members and having opposite ends, one of said ends of said third segment being joined to another end of said first segment, said third segment being drawn coaxially within said first segment to form other inner and outer adjacent layers surrounding said central space, another reverse fold defining another end of said sleeve.

12 (original). A sleeve according to Claim 11, wherein another end of said third segment is positioned proximate to another end of said second segment.

13 (original). A sleeve according to Claim 12, wherein said second and third segments are approximately one half the length of said first segment.

RESPONSE TO OFFICE ACTION
DATED FEBRUARY 23, 2005

Appln. No. 10/600,944

- 6 -

May 23, 2005

14 (original). A sleeve according to Claim 13, wherein said reverse folds are positioned between said segments.

15. A sleeve ~~according to Claim 1, further for receiving elongated items, said sleeve~~ comprising:

a flexible first tubular segment having opposite ends and comprising first filamentary members interlaced together;

a flexible second tubular segment having opposite ends and comprising second filamentary members interlaced together, said second filamentary members being different from said first, one end of said first segment being joined to one end of said second segment, said second segment being reverse folded and drawn coaxially within said first segment to form inner and outer adjacent layers surrounding a central space, a reverse fold defining one end of said sleeve; and

a third tubular segment comprising interlaced filamentary members and having opposite ends, one of said ends of said third segment being joined to another end of said first segment, said third segment being drawn coaxially over said first segment to form another outer layer surrounding said inner and outer adjacent layers, another reverse fold defining another end of said sleeve.

16 (original). A sleeve according to Claim 15, wherein said reverse folds are positioned between said segments.

17 (original). A sleeve according to Claim 16, wherein said first, second and third segments are approximately equal in length.

Appln. No. 10/600,944

- 7 -

May 23, 2005

18 (currently amended). A sleeve ~~according to Claim 1,~~
~~wherein said second filamentary members are~~ for receiving
elongated items, said sleeve comprising:

a flexible first tubular segment having opposite
ends and comprising first filamentary members interlaced
together; and

a flexible second tubular segment having opposite
ends and comprising second filamentary members interlaced
together, said second filamentary members comprising heat
resistant mineral fibers, one end of said first segment being
joined to one end of said second segment, said second segment
being reverse folded and drawn coaxially within said first
segment to form inner and outer adjacent layers surrounding a
central space, a reverse fold defining one end of said sleeve.

19 (original). A sleeve according to Claim 18, wherein
said mineral fibers are selected from the group comprising
glass, quartz, silica and ceramic fibers.

20 (original). A sleeve according to Claim 18, wherein
said first filamentary members are selected from the group
consisting of DREF yarns and oxidized polyacrylonitrile
fibers.

21 (original). A sleeve according to Claim 20, wherein
said DREF yarns comprise a core of glass surrounded by para-
aramid fibers.

22 (currently amended). A sleeve ~~according to Claim 1,~~
~~wherein said first and second segments are knitted, said first~~
~~segment having a knit density different from said second~~
segment for receiving elongated items, said sleeve comprising:

RESPONSE TO OFFICE ACTION
DATED FEBRUARY 23, 2005

Appln. No. 10/600,944

- 8 -

May 23, 2005

a flexible first tubular segment having opposite ends and comprising first filamentary members knitted together with a first knit density; and

a flexible second tubular segment having opposite ends and comprising second filamentary members knitted together with a second knit density different from said first knit density, said second filamentary members being different from said first, one end of said first segment being joined to one end of said second segment, said second segment being reverse folded and drawn coaxially within said first segment to form inner and outer adjacent layers surrounding a central space, a reverse fold defining one end of said sleeve.

23 (original). A sleeve according to Claim 22, wherein said first segment is knitted with a knit density higher than said second segment to provide abrasion resistance to said outer layer.

24 (currently amended). A sleeve for receiving elongated items, said sleeve comprising:

a flexible first tubular segment having opposite ends and comprised of filamentary members interlaced together; and

a flexible second tubular segment having opposite ends and comprised of filamentary members interlaced together, one end of said first segment being joined to one end of said second segment, said second segment being drawn coaxially within said first segment to form inner and outer adjacent layers surrounding a central space, a reverse fold being formed and defining one end of said sleeve; and

a plurality of ribs formed lengthwise along one of said first and said second segments, said ribs being positioned between said inner and outer adjacent layers, said

RESPONSE TO OFFICE ACTION
DATED FEBRUARY 23, 2005

Appln. No. 10/600,944

- 9 -

May 23, 2005

ribs separating said layers and forming a plurality of air pockets therebetween.

25 (original). A sleeve according to Claim 24, wherein said first segment is comprised of first filamentary members and said second segment is comprised of second filamentary members different from said first filamentary members.

26 (original). A sleeve according to Claim 24, wherein said first and second segments are substantially equal in length, other ends of said first and second segments being positioned adjacent to one another and defining another end of said sleeve.

Claim 27 (canceled).

28 (currently amended). A sleeve according to Claim 27 24, wherein said filamentary members are interlaced by knitting, said second segment comprising a rib-knit stitch, said ribs being integrally formed in said second segment.

Claim 29 (canceled).

30 (currently amended). A sleeve according to Claim 29 24, wherein said filamentary members are interlaced by knitting, said ~~second~~ first segment comprising a rib-knit stitch, said ribs being integrally formed in said ~~second~~ first segment.

Claim 31 (canceled).

32 (currently amended). A sleeve according to Claim 24 55, wherein said filamentary members comprising said second

Appln. No. 10/600,944

- 10 -

May 23, 2005

and said third segments are comprised of different material from said filamentary members comprising said first segment.

33 (original). A sleeve according to Claim 32, wherein said second and said third segments are comprised of the same material.

Claim 34 (canceled).

35 (currently amended). A sleeve for receiving elongated items, said sleeve comprising:

an elongated, flexible, continuous tube comprising a plurality of base filamentary members interlaced together;

a first portion of said tube having a first plurality of filamentary members interlaced with said base filamentary members;

a second portion of said tube having a second plurality of filamentary members interlaced with said base filamentary members; and

a third portion of said tube having a third plurality of filamentary members interlaced with said base filamentary members;

said tube being twice reverse folded with said first portion of said tube being positioned within said second portion of said tube; and

said second portion of said tube being positioned within said third portion of said tube.

36 (original). A sleeve according to Claim 35, wherein said first portion is positioned in spaced relation to said second portion along said tube.

RESPONSE TO OFFICE ACTION
DATED FEBRUARY 23, 2005

Appln. No. 10/600,944

- 11 -

May 23, 2005

37 (currently amended). A sleeve according to Claim 36 35, wherein one of said reverse folds is positioned between said first and said second portions.

Claim 38 (canceled).

39 (currently amended). A sleeve according to Claim 38 35, wherein said third portion is positioned in spaced relation to said second portion along said tube.

40 (currently amended). A sleeve according to Claim 39 35, wherein one of said reverse folds is positioned between said second and said third portions.

41 (currently amended). A sleeve ~~according to Claim 35,~~ wherein for receiving elongated items, said sleeve comprising:
an elongated, flexible, continuous tube comprising a plurality of base filamentary members interlaced together;
said base filamentary members comprise flexible, resilient metal wire;
a first portion of said tube having a first plurality of filamentary members interlaced with said base filamentary members;
a second portion of said tube having a second plurality of filamentary members interlaced with said base filamentary members; and
said tube being reverse folded with said first portion of said tube being positioned within said second portion of said tube.

42 (currently amended). A sleeve ~~according to Claim 35,~~ wherein for receiving elongated items, said sleeve comprising:
an elongated, flexible, continuous tube comprising a plurality of base filamentary members interlaced together;

Appln. No. 10/600,944

- 12 -

May 23, 2005

a first portion of said tube having a first plurality of filamentary members interlaced with said base filamentary members, said first filamentary members comprise temperature resistant material selected from the group consisting of silica, glass and quartz;

a second portion of said tube having a second plurality of filamentary members interlaced with said base filamentary members; and

said tube being reverse folded with said first portion of said tube being positioned within said second portion of said tube.

43 (currently amended). A sleeve according to Claim 38 35, wherein said filamentary members are interlaced by knitting.

44 (currently amended). A sleeve for receiving elongated items, said sleeve comprising an elongate continuous tube subdivided into a plurality of tubular segments integrally joined end to end to one another, one of said tubular segments being comprised of ~~interlaced~~ knitted first filamentary members having a first knit stitch density, another of said tubular segments being comprised of ~~interlaced~~ knitted second filamentary members having a second knit stitch density different from said first knit stitch density, said one tubular segment being drawn coaxially within said other tubular segment thereby forming multiple layers adjacent one another surrounding a central space for receiving said items.

45 (original). A sleeve according to Claim 44, wherein said first filamentary members are comprised of a first material and said second filamentary members are comprised of a second material different from said first material.

Appln. No. 10/600,944

- 13 -

May 23, 2005

46 (original). A sleeve according to Claim 44, wherein said first filamentary members are comprised of a first material having a first set of properties and said second filamentary members are comprised of a second material having properties different from the properties of said first material.

Claims 47-49 (canceled).

50 (currently amended). A method of forming a sleeve for receiving elongated items, the method comprising the steps of:

- selecting first filamentary members;
- ~~selecting a first technique for interlacing said first filamentary members;~~
- ~~selecting first parameters related to said first technique for interlacing said first filamentary members;~~
- interlacing knitting said first filamentary members using said ~~selected first technique and first parameters~~ a rib-knit stitch having a first predetermined knit stitch density to form a first flexible tubular segment having oppositely disposed ends;
- selecting second filamentary members;
- ~~selecting a second technique for interlacing said second filamentary members;~~
- ~~selecting second parameters related to said second technique for interlacing said first filamentary members;~~
- interlacing said second filamentary members using ~~said selected second technique and second parameters~~ a rib-knit stitch having a second knit stitch density to form a second flexible tubular segment, said second filamentary members being continuously interlaced with said first filamentary members to form said second flexible tubular segment continuously from one end of said first flexible tubular segment; and

Appln. No. 10/600,944

- 14 -

May 23, 2005

drawing said second tubular segment coaxially within said first tubular segment.

51 (original). A method according to Claim 50, wherein said second filamentary members selected are different from said first filamentary members.

Claims 52-54 (canceled).

55 (new). A sleeve for receiving elongated items, said sleeve comprising:

- a flexible first tubular segment having opposite ends and comprised of filamentary members interlaced together;
- a flexible second tubular segment having opposite ends and comprised of filamentary members interlaced together;
- a flexible third tubular segment having opposite ends and comprised of filamentary members interlaced together;

one end of said first segment being joined to one end of said second segment, an opposite end of said first segment being joined to one end of said third segment, said second segment being drawn coaxially within said first segment, said third segment being drawn coaxially over said first segment, said first, second and third segments surrounding a central space, a pair of reverse folds being formed at opposite ends of said sleeve.

56 (new). A sleeve for receiving elongated items, said sleeve comprising:

- a flexible first tubular segment having opposite ends and comprised of filamentary members interlaced together;
- a flexible second tubular segment having opposite ends and comprised of filamentary members interlaced together;
- a flexible third tubular segment having opposite ends and comprised of filamentary members interlaced together;

RESPONSE TO OFFICE ACTION
DATED FEBRUARY 23, 2005

Appln. No. 10/600,944

- 15 -

May 23, 2005

one end of said first segment being joined to one end of said second segment, an opposite end of said first segment being joined to one end of said third segment, said second segment being drawn coaxially within said first segment, said third segment being drawn coaxially within said first segment, said first, second and third segments surrounding a central space, a pair of reverse folds being formed at opposite ends of said sleeve.